

## Quellen:

- Howard, L. M., Molyneaux, E., Dennis, C. L., Rochat, T., Stein, A., & Milgrom, J. (2014). Non-psychotic mental disorders in the perinatal period. *The Lancet*, 384(9956), 1775-1788.
- Byatt, N., Levin, L. L., Ziedonis, D., Simas, T. A. M., & Allison, J. (2015). Enhancing participation in depression care in outpatient perinatal care settings: a systematic review. *Obstetrics & Gynecology*, 126(5), 1048-1058.
- Wilson, C. A., Bublitz, M., Chandra, P., Hanley, S., Honikman, S., Kittel-Schneider, S., Zanghellini Rückl, S. C., Leahy-Warren, P., & Byatt, N. (2024). A global perspective: Access to mental health care for perinatal populations. In *Seminars in Perinatology* (p. 151942). WB Saunders.
- Pawils, S., Kochen, E., Weinbrenner, N., Loew, V., Döring, K., Daehn, D., Martens, C., Kaczmarek, P., & Renneberg, B. (2022). Postpartale Depression—wer kümmert sich? Versorgungszugänge über Hebammen, Gynäkologie, Pädiatrie und Allgemeinmedizin. *Bundesgesundheitsblatt-Gesundheitsforschung-Gesundheitsschutz*, 65(6), 658-667.
- Brockington, I. F., Oates, J., George, S., Turner, D., Vostanis, P., Sullivan, M., Loh, C., & Murdoch, C. (2001). A screening questionnaire for mother-infant bonding disorders. *Archives of women's mental health*, 3, 133-140.
- Reck, C., Klier, C. M., Pabst, K., Stehle, E., Steffenelli, U., Struben, K., & Backenstrass, M. (2006). The German version of the Postpartum Bonding Instrument: psychometric properties and association with postpartum depression. *Archives of women's mental health*, 9, 265-271.
- Rohde, A., & Dorn, A. (2023). *Rund um die Geburt: Depressionen, Ängste und mehr: Hilfe und Selbsthilfe bei peripartalen psychischen Problemen*. Kohlhammer Verlag.
- Graf, J., Dörsam, A., Giel, K., Kagan, K. O., Götz, M., Wallwiener, S., & Stengel, A. (2021). Psychische Erkrankungen in der Peripartalzeit. *PSYCH update*, 15(02), 163-177.
- Deave, T., Johnson, D., & Ingram, J. (2008). Transition to parenthood: the needs of parents in pregnancy and early parenthood. *BMC pregnancy and childbirth*, 8, 1-11.
- Cameron, E. E., Sedov, I. D., & Tomfohr-Madsen, L. M. (2016). Prevalence of paternal depression in pregnancy and the postpartum: an updated meta-analysis. *Journal of affective disorders*, 206, 189-203.
- Glasser, S., & Lerner-Geva, L. (2019). Focus on fathers: paternal depression in the perinatal period. *Perspectives in public health*, 139(4), 195-198.
- Robertson, E., Grace, S., Wallington, T., & Stewart, D. E. (2004). Antenatal risk factors for postpartum depression: a synthesis of recent literature. *General hospital psychiatry*, 26(4), 289-295.
- O'Hara, M. W., & Wisner, K. L. (2014). Perinatal mental illness: definition, description and aetiology. *Best practice & research Clinical obstetrics & gynaecology*, 28(1), 3-12.
- Junge, C., Garthus-Niegel, S., Slinning, K., Polte, C., Simonsen, T. B., & Eberhard-Gran, M. (2017). The impact of perinatal depression on children's social-emotional development: a longitudinal study. *Maternal and Child Health Journal*, 21, 607-615.
- Garthus-Niegel, S., & Kittel-Schneider, S. (2023). Väter und peripartale psychische Erkrankungen: Das übersehene Elternteil?. *Der Nervenarzt*, 94(9), 779-785.
- Wang, D., Li, Y. L., Qiu, D., & Xiao, S. Y. (2021). Factors influencing paternal postpartum depression: a systematic review and meta-analysis. *Journal of Affective Disorders*, 293, 51-63.
- Sigmund, D., Loew, V., & Pawils, S. (2023). Engaging parents affected by mental health problems in pediatric and gynecologic practices—Implications of the KID-PROTEKT Study. *Children*, 10(12), 1853.
- Goodman, S. H., & Garber, J. (2017). Evidence-based interventions for depressed mothers and their young children. *Child development*, 88(2), 368-377.
- Field, T. (2010). Postpartum depression effects on early interactions, parenting, and safety practices: a review. *Infant Behavior and Development*, 33(1), 1-6.
- Chen, C., Okubo, R., Okawa, S., Hagiwara, K., Mizumoto, T., Higuchi, N., Nakagawa, S., & Tabuchi, T. (2023). The prevalence and risk factors of suicidal ideation in women with and without postpartum depression. *Journal of affective disorders*, 340, 427-434.
- Cuijpers, P., Weitz, E., Karyotaki, E., Garber, J., & Andersson, G. (2015). The effects of psychological treatment of maternal depression on children and parental functioning: a meta-analysis. *European child & adolescent psychiatry*, 24, 237-245.
- Sokol, L. E. (2015). A systematic review of the efficacy of cognitive behavioral therapy for treating and preventing perinatal depression. *Journal of affective disorders*, 177, 7-21.
- Miller LJ. (2002). Postpartum Depression. *JAMA*, 287(6), 762-765.
- American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders (5th ed.).
- World Health Organization. (2019). ICD-11: International classification of diseases (11th revision).
- Netsi, E., Pearson, R. M., Murray, L., Cooper, P., Craske, M. G., & Stein, A. (2018). Association of persistent and severe postnatal depression with child outcomes. *JAMA psychiatry*, 75(3), 247-253.
- Putnick, D.L., Sundaram, R., Bell, E.M., Ghassabian, A., Goldstein, R.B., Robinson, S.L., Vafai, Y., Gilman, S. E., & Yeung, E. (2020). Trajectories of maternal postpartum depressive symptoms. *Pediatrics*, 146(5). e20200857. <https://doi.org/10.1542/peds.2020-0857>.
- Choi, K. W., Houts, R., Arseneault, L., Pariante, C., Sikkema, K. J., & Moffitt, T. E. (2019). Maternal depression in the intergenerational transmission of childhood maltreatment and its sequelae: Testing postpartum effects in a longitudinal birth cohort. *Development and psychopathology*, 31(1), 143-156.
- Baram T.Z., Davis E.P., Obenaus A., Sandman C.A., Small S.L., Solodkin A., & Stern H. (2012). Fragmentation and unpredictability of early-life experience in mental disorders. *American Journal of Psychiatry*, 169, 907-915.
- Goodman S.H., Rouse M.H., Connell A., Broth M., Hall C. & Heyward D. (2011). Maternal depression and child psychopathology: A meta-analytic review. *Clinical Child and Family Psychology Review*, 14, 1-27
- COST Action Research Innovation and Sustainable Pan-European Network in Peripartum Depression Disorder (Riseup-PPD), Evidence-based clinical practice guidelines for prevention, screening and treatment of peripartum depression, o.D., verfügbar unter: Clinical-practice-guidelines - Riseup-PPD ([riseupppd18138.com](http://riseupppd18138.com)), Zugriff am 30.09.2024.
- Catalao, R., Howard, L., Jones, I., & McDonald, E. (2014). Chapter 7: perinatal mental health. *Annual report of the Chief Medical Officer*.
- Martins, C., & Gaffan, E. A. (2000). Effects of early maternal depression on patterns of infant-mother attachment: A meta-analytic investigation. *The Journal of Child Psychology and Psychiatry and Allied Disciplines*, 41(6), 737-746.
- Osborne, S., Biaggi, A., Chua, T. E., Du Preez, A., Hazelgrove, K., Nikkheslat, N., Previti, G., Zunszain, P.A., Conroy, S. & Pariante, C. M. (2018). Antenatal depression programs cortisol stress reactivity in offspring through increased maternal inflammation and cortisol in pregnancy: The Psychiatry Research and Motherhood-Depression (PRAM-D) Study. *Psychoneuroendocrinology*, 98, 211-221.
- Subbiah, G. K., Reijneveld, S. A., Hartman, C. A., van der Zee-van den Berg, A. I., Boere-Boonekamp, M. M., Almansa, J., & de Kroon, M. L. (2024). Impact of trajectories of maternal postpartum depression on infants' socioemotional development. *Pediatric Research*, 96, 519-524.
- Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of postnatal depression: development of the 10-item Edinburgh Postnatal Depression Scale. *The British journal of psychiatry*, 150(6), 782-786.
- Kühner, C. (2016). Psychiatrische Erkrankungen in Schwangerschaft und Stillzeit: Häufigkeit, Verlauf und klinische Diagnostik. *Der Nervenarzt*, 87, 926-936.
- Nitzschke, N., Pawils, S., & Siefert, S. (2022). Kindzentrierte psychosoziale Grundversorgung nach dem Modell KID-PROTEKT-RCT-Studie zeigt Mehrwert für Schwangere und Frauenarztpraxen auf. *Geburtshilfe und Frauenheilkunde*, 82(10), 252.
- O'Connor, E., Rossos, R. C., Henninger, M., Groom, H. C., & Burda, B. U. (2016). Primary care screening for and treatment of depression in pregnant and postpartum women: evidence report and systematic review for the US Preventive Services Task Force. *Jama*, 315(4), 388-406.
- Kay Roussos-Ross, M. D. (2023). Treatment and Management of Mental Health Conditions During Pregnancy and Postpartum. *Obstetrics & Gynecology*, 141(6), 1262-1288.
- Simas, T. A. M., Whelan, A., & Byatt, N. (2023). Postpartum depression—new screening recommendations and treatments. *JAMA*, 330(23), 2295-2296.
- Nonnenmacher, N., Zietlow, A. L., Noe, D., & Reck, C. (2018). Depressionen in der Peripartalzeit. *Familiendynamik*, 43(2), 100-107.
- Stewart, D. E., & Vigod, S. (2016). Postpartum depression. *New England Journal of Medicine*, 375(22), 2177-2186.
- Stein, A., Pearson, R. M., Goodman, S. H., Rapa, E., Rahman, A., McCallum, M., Howard, L.M. & Pariante, C. M. (2014). Effects of perinatal mental disorders on the fetus and child. *The Lancet*, 384(9956), 1800-1819.
- Grigoriadis, S., VonderPorten, E. H., Mamisashvili, L., Tomlinson, G., Dennis, C. L., Koren, G., Steiner, M., Mousmanis, P., Cheung, A., Radford, K., Martinovic, J., & Ross, L. E. (2013). The impact of maternal depression during pregnancy on perinatal outcomes: a systematic review and meta-analysis. *The Journal of clinical psychiatry*, 74(4), 8615.
- Grote, N. K., Bridge, J. A., Gavin, A. R., Melville, J. L., Iyengar, S., & Katon, W. J. (2010). A meta-analysis of depression during pregnancy and the risk of preterm birth, low birth weight, and intrauterine growth restriction. *Archives of general psychiatry*, 67(10), 1012-1024.
- Buttner, M. M., O'Hara, M. W., & Watson, D. (2012). The structure of women's mood in the early postpartum. *Assessment*, 19(2), 247-256.
- Herz E. (1996). Befindlichkeitsbogen. Deutsche Version des Edinburgh Postnatal Depression Scale von Cox JL, Holden JM, Sagowski R.
- Herz E., Thoma, M., Umek, W., Gruber, K., Linzmayer, L., Walcher, W., Philipp, T. & Putz, M. (1997). Nicht-psychotische postpartale Depression. *Geburtshilfe und Frauenheilkunde*, 57(05), 282-288.
- Smith, M. V., Shao, L., Howell, H., Wang, H., Poschman, K., & Yonkers, K. A. (2009). Success of mental health referral among pregnant and postpartum women with psychiatric distress. *General hospital psychiatry*, 31(2), 155-162.

51. Le Strat, Y., Dubertret, C., & Le Foll, B. (2011). Prevalence and correlates of major depressive episode in pregnant and postpartum women in the United States. *Journal of affective disorders*, 135(1-3), 128-138.
52. Halligan, S. L., Murray, L., Martins, C., & Cooper, P. J. (2007). Maternal depression and psychiatric outcomes in adolescent offspring: a 13-year longitudinal study. *Journal of affective disorders*, 97(1-3), 145-154.
53. Dorsch, V. M., & Rohde, A. (2016). Postpartale psychische Störungen—Update 2016. *Frauenheilkunde up2date*, 10(04), 355-374.
54. Riecher-Rössler, A., & Rohde, A. (2005). Diagnostic classification of perinatal mood disorders. In *Perinatal stress, mood and anxiety disorders* (Vol. 173, S. 6-27). Karger Publishers.
55. Ayers, S., Bond, R., Webb, R., Miller, P., & Bateson, K. (2019). Perinatal mental health and risk of child maltreatment: A systematic review and meta-analysis. *Child abuse & neglect*, 98, e104172. <https://doi.org/10.1016/j.chiabu.2019.104172>.
56. Pharmakovigilanz- und Beratungszentrum für Embryonaltoxikologie (o.D.), verfügbar unter: [www.embryotox.de](http://www.embryotox.de), Zugriff am 30.09.2024.
57. Kolodziej, D., Wolkwitz, P., Schön, G., Siefert, S., & Pawils, S. (2023). Evaluation of a child-centred psychosocial healthcare intervention (KIDPROTEKT)—results of a cluster randomized controlled trial in paediatric and gynaecologic practices. *Psychosocial Intervention*, 32(1), 33.
58. Cox, E. Q., Sowa, N. A., Meltzer-Brody, S. E., & Gaynes, B. N. (2016). The perinatal depression treatment cascade: baby steps toward improving outcomes. *The Journal of clinical psychiatry*, 77(9), 20901.
59. Knight, M., Bunch, K., Patel, R., Shakespeare, J., Kotnis, R., Kenyon, S., & Kurinczuk, J. J. (2022). Saving lives, improving mothers' care core report—lessons learned to inform maternity care from the UK and Ireland confidential enquiries into maternal deaths and morbidity 2018-20. *National Perinatal Epidemiology Unit, University of Oxford, Oxford*.
60. Wolkenstein, L., & Hautzinger, M. (2014). *Ratgeber Chronische Depression: Informationen für Betroffene und Angehörige*. Hogrefe Verlag GmbH & Company KG.
61. Plant, D. T., Pawlby, S., Sharp, D., Zunsain, P. A., & Pariante, C. M. (2016). Prenatal maternal depression is associated with offspring inflammation at 25 years: a prospective longitudinal cohort study. *Translational psychiatry*, 6(11), e936-e936. <https://doi.org/10.1038/tp.2015.155>.
62. Reck, C., Zietlow, A. L., Müller, M., & Dubber, S. (2016). Perceived parenting stress in the course of postpartum depression: the buffering effect of maternal bonding. *Archives of women's mental health*, 19, 473-482.
63. Mavrogiorgou, P., Diop, S., Turmes, L., Specht, C., Vanscheidt, S., Seehagen, S., & Juckel, G. (2022). Computer-based mother–infant interaction analysis and mental functioning in postpartum depression. *Psychiatry Research*, 311, e114506. <https://doi.org/10.1016/j.psychres.2022.114506>.
64. Horowitz, J. A., Posmontier, B., Chiarello, L. A., & Geller, P. A. (2019). Introducing mother-baby interaction therapy for mothers with postpartum depression and their infants. *Archives of psychiatric nursing*, 33(3), 225-231.
65. Gjerdingen, D. K., & Yawn, B. P. (2007). Postpartum depression screening: importance, methods, barriers, and recommendations for practice. *The Journal of the American Board of Family Medicine*, 20(3), 280-288.